

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11





FIG. 12

Applicant(s): Raymond Browning
 Title: "Audio Reproduction System for Telephony Device"
 Attorney Docket No.: M-15247 US
 12/66



20900

FIG. 13




FIG. 14




FIG. 15

PSD of the speaker output (cone velocity) with time-delayed correction




FIG. 16




FIG. 17

Electronically implemented linear spring in the absence of $Bl(x)$ effect




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26

L_e vs. Coil Displacement at 43 kHz




FIG. 27




FIG. 28

Applicant(s): Raymond Browning
Title: "Audio Reproduction System for Telephony Device"
Attorney Docket No.: M-15247 US
28/66




FIG. 29




FIG. 30

Applicant(s): Raymond Browning
Title: "Audio Reproduction System for Telephony Device"
Attorney Docket No.: M-15247 US
30/66




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36

Applicant(s): Raymond Browning
Title: "Audio Reproduction System for Telephony Device"
Attorney Docket No.: M-15247 US
36/66





FIG. 37



14200 ↗

FIG. 38




FIG. 39






FIG. 40



LS = Large Signal

FIG. 41



NM: Normal Mode
C: Calibration mode

FIG. 42






FIG. 43



11504

FIG. 44



All operations are in SW

FIG. 45




FIG. 46




FIG. 47




FIG. 48

Applicant(s): Raymond Browning
 Title: "Audio Reproduction System for Telephony Device"
 Attorney Docket No.: M-15247 US

From Enable ISR Setup and
 Enable Sampling Clock (SC)
 11202

48/66




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58





FIG. 59



Applicant(s): Raymond Browning
Title: "Audio Reproduction System for Telephony Device"
Attorney Docket No.: M-15247 US
60/66




FIG. 61




FIG. 62




FIG. 63




FIG. 64




FIG. 65

Applicant(s): Raymond Browning
Title: "Audio Reproduction System for Telephony Device"
Attorney Docket No.: M-15247 US
65/66




FIG. 66

